

# A Whole New Era of Convergence Technology

World First & Biggest Screen of Smart Terminal
Android 4.2 & Windows Embedded 8 Handheld with One Form Factor

#### **Smart Terminal**

# **BM180**









2014 *NEW* 

## **The Proactive Evolution**

Since 2004, Bluebird has planned, developed, and released the BM Series. Each evolution has been marked with bold and brilliant innovation.





**2010**BM170

**2014** BM180 / Android



**2014**RM180 / Window



BM170



BM180



### What has been added?

- 2D Scanner
- RFID
- Card Payment
- Ruggedness
- SAM Slot











# Convergence Technology

AIDC + Payment Voice + Data





BM180



BP50





#### **FMCG**

- Pre-sales
- Direct store delivery
- Route accounting
- Asset management



#### Retail

- Productivity improvement (Voice + Data communication)
- Replenishment
- Customer counseling
- Mobile POS
- Hospitality



#### Healthcare

- Home nursing
- Point of care
- Clinical-test



#### **Professional Service**

- Work order
- E-Citation
- Asset management
- Location based service

#### **SPECIFICATIONS**

| PERFORMANCE CHARACTERISTICS           |   |
|---------------------------------------|---|
| CPU                                   | Dual Core Processor 1.5GHz  |
| OS                                    | Android 4.2,  |
|                                       | Windows Embedded 8 Handheld(Planning)                                 |
| MEMORY                                | 1GB RAM/8GB ROM   |
|                                       | (Optional 2GB RAM/16G BROM)   |
| INTERFACE                             | Docking connector; Micro USB  |
| COMMUNICATION OPTIONS                 |   |
| WWAN RADIO                            | Optional, HSPA+/HSPA/UMTS, EDGE/GSM                                   |
| WLAN RADIO                            | Optional, 802.11 a/b/g/n  |
| WPAN RADIO                            | Optional, Bluetooth Classs II V4.0                                    |
| DATA CAPTURE                          |   |
| RFID                                  | ISO14443A&B, ISO 15693  |
| CAMERA                                | Main(Rear): 8 Mega Pixel Auto Focus Camera with LED Flash;            |
|                                       | Sub(Front): 1.3 Mega Pixel Front Camera                               |
| BARCODE SCANNER                       | Optional, 2D Imager(1D/2D Barcode)                                    |
| PAYMENT OPTIONS                       |   |
| MSR                                   | Optional, Integrated Magnetic Stripe Reader (MSR)                     |
| CONTACTLESS                           | MiFare, Felica, Calypso   |
| PHYSICAL CHARACTERISTICS              |   |
| DIMENSIONS (W X H X D)                | 77.95 x 152.1 x 16.7mm  |
| WEIGHT                                | 261g  |
| DISPLAY                               | 5-inch HD Eyelluminate™ Display; 1280 x 720 pixel                     |
| STANDARD BATTERY                      | Rechargable, 3.7V, 3,000mAh, Li-ion                                   |
| EXTENDED BATTERY                      | Optional, Rechargable, 3.7V, 4,500mAh, Li-ion                         |
| BACKUP BATTERY                        | Internal Backup Battery for Hot-Swap Function, Li-polymer 60mAh       |
| EXPANSION SLOT                        | Customer-accessible MicroSD slot for removable memory cards up to 32G |
| SIM/SAM SLOT                          | 1 SIM / 1SAM (for Contactless Applications)                           |
| AUDIO                                 | VoWWAN; VoWLAN; PTT ready;  |
|                                       | Dual Microphone With Noise Cancellation                               |
| GPS                                   | Integrated AGPS   |
| USER ENVIRONMENT CHARACTERISTICS      |   |
| DURABILITY                            | TankSmith™Technology;   |
|                                       | 1.2m / 4ft drop per MIL-STD 810G; IP67 Sealing                        |
| OPERATING TEMP                        | -20°C to 60°C / -4°F to 140°F   |
| STORAGE TEMP                          | -25°C to 70°C / -13°F to 158°F  |
| HUMIDITIY                             | 95% non-condensing  |
| * Place ack your cales representative | for the future-ungradable specs                                       |

 $<sup>* \</sup> Please \ ask \ your \ sales \ representative \ for \ the \ future-upgradable \ specs.$ 

#### BR-F-BM180-EN-AA014

Copyright © 1995-2014 Bluebird Inc. All rights reserved. Bluebird Inc. is the designer and manufacturer of Pidion handheld mobiles. Pidion and stylized Pidion Logo are registered trademarks and symbols of Bluebird Inc. Features and specifications are subject to change without prior notice.

**Bluebird Inc.** (Corporate Headquarters)

SEI Tower 13~14F, 467-14, Dogok-dong, Gangnam-gu, Seoul, Korea (ROK)

Phone. +82.70.7730.8000 Fax. +82.2.6499.2242

Website mypidion.com

